

Joerg Reimann et al. Publications/Patents, Status 2020-01

Contact: reimann-langhans@web.de

Publications

Reimann, J.; Vicente, J.; Ferrero, C.; Rack, A.; Gan, Y.; 3d tomography analysis of the packing structure of spherical particles in slender prismatic containers; *Int. J. Material Research* 111(2020) 1, 65-77

Reimann, J.; Influences of pebble geometry on the thermomechanical behavior of pebble beds, *Proc. 20th Int. Workshop on Ceramic Breeder Blanket interactions (CBBI-20)*, R.Knitter (Ed.), KIT Scientific working papers 130 (2019) ISSN 2194-1629

Dai, W.; Reimann, J.; Hanaor, D.; Ferrero, C.; Gan, Y.; Modes of wall induced granular crystallisation in vibrational packing; *Granular Matter* (2019) 21:26

Reimann, J.; Goraieb, A.; Harsch, H.; Thermal Conductivity of Compressed Binary Beryllium Pebble Beds; *Proc 13th Int. Workshop Beryllium Technology (BeWS-13)*, J.H. Kim, M. Nakamichi (Eds), QST-P-3 (2018) 193-205

Reimann, J.; Goraieb, A.; Harsch, H.; Thermal Creep of Compressed Binary Beryllium Pebble Beds; *Proc 13th Int. Workshop Beryllium Technology (BeWS-13)*, J.H. Kim, M. Nakamichi (Eds), QST-P-3 (2018) 193-205

Kurinskiy, P.; Leiste, H.; Goraieb, A.; Rolli, R.; Mueller, S.; Reimann, J.; Moeslang, A.; Production of Be-Ti and Be-Zr rods by extrusion and their characterization; *Fusion Engineering and Design* 136 (2018) 49-52

Reimann, J.; Vicente, J.; Brun, E.; Ferrero, C.; Gan, Y.; Rack, A.; X-ray tomography investigations of mono-sized sphere packing structures in cylindrical containers; *Powder Technology* 318 (2017) 471–483

van der Laan; J. G.; Reimann J.; Fedorov A.V.; Ceramic Breeder Materials. In: S. Hashmi (editor-in-chief), *Reference Module in Materials Science and Materials Engineering*. Oxford: Elsevier; (2016) 1-63

Reimann, J.; Brun, E.; Ferrero, C.; Vicente, J.; Pebble bed structures in the vicinity of concave and convex walls; *Fusion Engineering and Design* 98–99 (2015) 1855–1858

Reimann, J.; Fretz, B.; Pupeschi, S.; Thermo-mechanical screening tests to qualify beryllium pebble beds with non-spherical pebbles, *Fusion Engineering and Design* 98–99 (2015) 1851-1854

Reimann, J.; Abou-Sena, A.; Brun, E.; Fretz, B.; Packing experiments of Beryllium pebble beds for the fusion reactor HCPB blanket; *Proc. 11th Int. Workshop Beryllium Technology*, P. Vladimirov & J. Reimann (Eds.), KIT Scientific Reports 7686, (2014)

Reimann, J.; Beres, O.; Colle, J.Y.; Dorn, C.; Harsch, H.; Koenigs, R.; Kurinsky, P.; First measurements of beryllide vapor pressures; *KIT Scientific Reports*, KIT-SR 7650 (September 2013) 258-262

Reimann, J.; Abou-Sena, A.; Nippen, R.; Tafforeau, P.; Pebble bed packing in prismatic containers; *Fusion Engineering and Design*, 88(2013) 2343-2347

Reimann, J.; Abou-Sena, A.; Nippen, R.; Ferrero, C.; Pebble bed packing in square cavities; *KIT Scientific Reports*, KIT-SR 7631 (Januar 2013)

Vladimirov, P.; Reimann, J.; (Eds.); *Proceedings of the 10th IEA international workshop on beryllium technology*; *KIT Scientific Reports*, KIT-SR 7650 (September 2013)

Reimann, J.; Benesch, A.; Colle, J.Y.; Dorn, C.; Harsch, H.; Kurinskiy, P.; First measurements of beryllium vapor pressures; P. Vladimirov & J. Reimann (Eds.), *KIT Scientific Reports*, KIT-SR 7650 (September 2013)

Chakin, V.; Reimann, J.; Moeslang, A.; Latypov, R.; Obukhov, A.; Thermal conductivity of highly neutron-irradiated beryllium in nuclear fusion reactors; *Progress in Nuclear Energy*, 57(2012) 2-7

van der Laan, J.G.; Fedorov, A.V.; van Til, S.; Reimann, J.; Ceramic breeder materials; *Radiation effects in Structural and Functional Materials for Fission and Fusion Reactors*, Amsterdam [u.a.] : Elsevier, (2012) 463-510

Ying, A.; Reimann, J.; Boccaccini, L.; Enoeda, M.; Kamlah, M.; Knitter, R.; Gan, Y.; Van der Laan, J.; Magielsen, L.; Di Maio, P.A.; Dell'Orco, G.; Annabattula, R.K.; Van Lew, J.T.; Tanigawa, H.; Van Til, S.; Status of ceramic breeder pebble bed thermo-mechanics R&D and impact on breeder material mechanical strength; Fusion Engineering and Design, 87 (2012) 1130-1137

Cismondi, F.; Kiss, B.; Hernandez, F.; Ndiaye, E.; Legradi, G.; Reimann, J.; Ilic, M.; The fundamental role of fluid dynamic analyses in the design of the solid EU Test Blanket Module, Fusion Engineering and Design 87 (2012) 1123-1129

Pieritz, R.A.; Reimann, J.; Ferrero, C.; 3D tomography analysis of the inner structure of pebbles and pebble beds; Advanced Engineering Materials, 13(2011) 145-155

Gan, X.; Kamlah, M.; Reimann, J.; Computer simulation of packing structure in pebble beds; Fusion Engineering and Design, 85 (2010) 1782-87

Pieritz, R.A.; Reimann, J.; Ferrero, C.; 3D tomography analysis of the inner structure of pebbles and pebble beds; Advanced Engineering Materials, 13 (2011) 145-155

Löbbecke, B.; Knitter, R.; Rohde, M.; Reimann, J.; Thermal conductivity of sintered lithium orthosilicate compacts; Journal of Nuclear Materials, 386-388 (2009) 1068-70

Reimann, J.; Pieritz, R.A.; Ferrero, C.; di Michiel, M.; Rolli, R.; X-ray tomography investigations on pebble bed structures; Fusion Engineering and Design, 83 (2008) 1326-1330

Reimann, J.; Goraieb, A.; Harsch, H.; Thermal conductivity of compressed binary beryllium pebble beds; 8th IEA Int. Workshop on Beryllium Technology, Lisboa, P, (December 2007)

Reimann, J.; Goraieb, A.; Harsch, H. ; Thermal creep of compressed binary beryllium pebble beds; 8th IEA Int. Workshop on Beryllium Technology, Lisboa, P, (December 2007)

Reimann, J.; Bühler, L.; Mistrangelo, C.; Molokov, S.; Magneto-hydrodynamic issues of the HCLL blanket; Fusion Engineering and Design, 81 (2006) 625-29

Reimann, J.; Piazza, G.; Harsch, H.; Thermal conductivity of compressed beryllium pebble beds; Fusion Engineering and Design, 81 (2006) 449-54

Reimann, J.; Pieritz, R.A.; Rolli, R.; Topology of compressed pebble beds; Fusion Engineering and Design, 81 (2006) 653-58

Boccaccini, L.V.; Hermsmeyer, S.; Fischer, U.; Ihli, T.; Janeschitz, G.; Köhly, C.; Nagy, D.; Norajitra, P.; Polixa, C.; Reimann, J.; Rey, J.; Studies of in-vessel component integration for a helium-cooled DEMO fusion reactor; First Generation of Fusion Power Plants : Design and Technology; Proc.of the 1st IAEA Conf., Wien, A, (July 2005)

Reimann, J.; Pieritz, R.A.; di Michiel, M.; Ferrero, C.; Inner structures of compressed pebble beds determined by X-ray tomography; Fusion Engineering and Design, 75-79 (2005) 1049-53

Reimann, J.; Bühler, L.; Molokov, S ; Magnetohydrodynamic issues of the HCLL blanket; 7th Int. Symp. on Fusion Nuclear Technology (ISFNT-7), Tokyo, J, (May 2005)

Reimann, J.; Piazza, G.; Xu, Z.; Goraieb, A.; Harsch, H.; Measurements of the thermal conductivity of compressed beryllium pebble beds; FZKA-7096 (Mai 2005)

Reimann, J.; Harsch, H.; Thermal creep of beryllium pebble beds; Fusion Engineering and Design, 75-79 (2005) 1043-1046

Reimann, J.; Pieritz, R.A.; Di Michiel, M.; Ferrero, C.; Topology of compressed pebble beds determined by X-ray tomography; FZKA-7120 (Juni 2005)

Boccaccini, L.V.; Meyder, R.; Hermsmeyer, S.; Reimann, J.; Krüssmann, R.; Norajitra, P.; Blanket und Divertor für den Fusionsreaktor; KfK-Nachrichten - Forschungszentrum Karlsruhe, 36 (2004) 36-41

Boccaccini, L.V.; Hermsmeyer, S.; Reimann, J.; Fischer, U.; Xu, Z.; Köhly, C.; Design of the breeder units in the new HCPB modular blanket concept and material requirements; Enoda, M. (Ed.), JAERI-Conf 2004-012 (July 2004) 9-14

Hegeman, H.; van der Laan, J.; Magielsen, A.J.; Moeslang, A.; Rabaglino, E.; Piazza, G.; Reimann, J.; Ooijevaar, M.A.G.; Stijkel, M.P.; Kamer, S.; The HFR Petten high dose irradiation programme of beryllium for blanket application HIDOBE; 6th IEA Internat. Workshop on Beryllium Technology for Fusion, Miyazaki, J, (December 2003)

Hegeman, J.B.J.; van der Laan, J.G.; Knitter, R.; Reimann, J.; Lulewicz, J.D.; Hayashi, K.; Ying, A.; A high fluence irradiation of ceramic breeder materials in HFR Petten, materials characterisation and test matrix; 23rd Symp. on Fusion Technology (SOFT), Venezia, I, (September 2004)

Knitter, R.; Piazza, G.; Reimann, J.; Risthaus, P.; Boccaccini, L.V.; Fabrication and characterization of lithium orthosilicate pebbles using LiOH as a new raw material; Enoda, M. (Ed.), JAERI-Conf 2004-012 (July 2004) 108-19

Magielsen, A.J.; van der Laan, J.G.; Boccaccini, L.V.; Conrad, R.; Fokkens, J.H.; Jong, M.; Pijlgroms, B.J.; Reimann, J.; Stijkel, M.P.; In-pile performance of HCPB pebble-bed assemblies; Enoda, M. (Ed.), JAERI-Conf 2004-012 (July 2004) 52-60

Möslang, A.; Rabaglino, E.; Boccaccini, L.V.; Cardella, A.; Alves, E.; Druyts, F.; Fischer, U.; Hegeman, J.B.J.W.; Leichtle, D.; Piazza, G.; Reimann, J.; Sannen, L.; Scibetta, M.; van der Laan, J.; Status of the European R&D on beryllium as multiplier material for breeder blankets; 6th IEA Int. Workshop on Beryllium Technology for Fusion, Miyazaki, J, (December 2003)

Reimann, J.; Harsch, H.; Characterisation of orthosilicate ex hydroxide pebble beds and mechanical cycling of different types of ceramic breeder materials; Knitter, R. (Ed.), FZKA-7078 (December 2004) 85-95

Reimann, J.; Pieritz, R.A.; Di Michiel, M.; Ferrero, C.; Inner structures of compressed pebble beds determined by X-ray tomography; 7th Int. Conf. on Nanostructured Materials, Wiesbaden, June 20-24, 2004, 23rd Symp. on Fusion Technology (SOFT), Venezia, I, (September 2004)

Hegeman, J.B.J.; van Essen, E.D.L.; Jong, M.; van der Laan, J.G.; Reimann, J.; Thermomechanical behaviour of ceramic breeder pebble stacks for HICU; Fusion Engineering and Design, 69 (2003) 425-29

Hermsmeyer, S.; Reimann, J.; Particle flow of ceramic breeder pebble beds in biaxial compression experiments; Fusion Engineering and Design, 61-62(2002) 367-73

Norajitra, P.; Bühler, L.; Buenaventura, A.; Diegele, E.; Fischer, U.; Gordeev, S.; Hutter, E.; Kruessmann, R.; Malang, S.; Orden, A.; Reimann, G.; Reimann, J.; Vieider, G.; Ward, D.; Wasastjerna, F.; Conceptual design of the dual-coolant blanket within the framework of the EU power plant conceptual study (TW2-TRP-PPCS12). Final report; FZKA-6780 (Mai 2003)

Piazza, G.; Reimann, J.; Hofmann, G.; Malang, S.; Goraieb, A.A.; Harsch, H.; Heat transfer in compressed beryllium pebble beds; Fusion Engineering and Design, 69 (2003) 227-31

Rabaglino, E.; Ferrero, C.; Reimann, J.; Ronchi, C.; Schulenberg, T.; Study of the microstructure of irradiated beryllium for the validation of the ANFIBE code; Fusion Engineering and Design, 61-62 (2002) 769-73

Reimann, J.; Ericher, D.; Wörner, G. .; Influence of pebble bed dimensions and filling factor on mechanical pebble bed properties; Fusion Engineering and Design, 69 (2003) 241-44

Reimann, J.; Bühler, L.; Messadek, K.; Stieglitz, R.; MHD pressure drop in ferritic pipes of fusion blankets; Fusion Engineering and Design, 69 (2003) 309-13

Reimann, J.; Hermsmeyer, S.; Thermal conductivity of compressed ceramic breeder pebble beds; Fusion Engineering and Design, 61-62 (2002) 345-51

Reimann, J.; Boccaccini, L.; Enoeda, M.; Ying, A.Y.; Thermomechanics of solid breeder and Be pebble bed materials; Fusion Engineering and Design, 61-62 (2002) 319-31

van der Laan, J.G.; Boccaccini, L.V.; Conrad, R.; Fokkens, J.H.; Jong, M.; Magielsen, A.J.; Pijlgroms, B.J.; Reimann, J.; Stijkel, M.P.; Malang, S.; Test-element assembly and loading parameters for the in-pile test of HCPB ceramic pebble beds; Fusion Engineering and Design, 61-62 (2002) 383-90

Bühler, L.; Reimann, J.; Thermal creep of granular breeder materials in fusion blankets; Journal of Nuclear Materials, 307-311 (2002) 807-10

Ferrari, M.; Giancarli, L.; Kleefeldt, K.; Nardi, C.; Rödig, M.; Reimann, J.; Salavy, J.F.; Evaluation of divertor conceptual designs for a fusion power plant; Fusion Engineering and Design, 56-57 (2001) 255-59

Fütterer, M.A.; Benamati, G.; Ricipito, I.; Giancarli, L.; Le Marois, G.; Li Puma, A.; Poitevin, Y.; Reimann, J.; Salavy, J.F.; Szczepanski, J.; Vella, G.; Ruvutuso, G.; Further improvements of the water-cooled Pb-17Li blanket; Fusion Engineering and Design, 58-59 (2001) 523-27

Hermesmeyer, S.; Reimann, J.; Particle flow of ceramic breeder pebble beds in biaxial compression experiments; Proc. of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) 195-201

Piazza, G.; Reimann, J.; Günther, E.; Knitter, R.; Roux, N.; Lulewicz, J.D.; Behaviour of ceramic breeder materials in long time annealing experiments; Fusion Engineering and Design, 58-59 (2001) 653-59

Piazza, G.; Reimann, J.; Günther, E.; Knitter, R.; Roux, N.; Lulewicz, J.D.; Characterisation of ceramic breeder materials for the helium cooled pebble bed blanket; Journal of Nuclear Materials, 307-311 (2002) 811-16

Reimann, J.; Barleon, L.; Boccaccini, L.V.; Malang, S.; Conceptual design of an evaporation-cooled liquid metal divertor for fusion power plants; Fusion Engineering and Design, 56-57 (2001) 369-73

Reimann, J.; Ericher, D.; Wörner, G. ; Influence of pebble bed dimensions and filling factor on mechanical pebble bed properties; Proc. of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) 161-74

Reimann, J.; Hermesmeyer, S.; Piazza, G.; Wörner, G.; Thermal conductivity measurements of deformed beryllium pebble beds by hot wire method; Yamawaki, M. (Ed.) CBBI-9 : Proc. of the 9th Int. Workshop on Ceramic Breeder Blanket Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ. of Tokyo, (2002) 199-214

Reimann, J.; Hermesmeyer, S.; Wörner, G.; Thermal conductivity of compressed orthosilicate and metatitanate pebble beds; Proc. of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001, FZKA-6720 (Juni 2002) 185-93

Reimann, J.; Wörner, G. ; Thermal creep of ceramic breeder pebble beds; Yamawaki, M. (Ed.), CBBI-9 : Proc. of the 9th Int. Workshop on Ceramic Breeder Blanket Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ. of Tokyo, 2002 S.95-108

Reimann, J.; Wörner, G.; Thermal creep of Li₄SiO₄ pebble beds; Fusion Engineering and Design, 58-59 (2001) 647-51

Reimann, J.; Lulewicz, J.D.; Roux, N.; Wörner, G.; Thermal creep of metatitanate pebble beds; FZKA-6720 (Juni 2002) 175-84

van der Laan, J.G.; Conrad, R.; Fokkens, J.H.; Hofmans, H.E.; Jong, M.; Magielsen, A.J.; Malang, S.; Pijlgroms, B.J.; Reimann, J.; Roux, N.; Stijkel, M.P.; Status of the in-pile test of HCPB pebble-bed assemblies in the HFR Petten; FZKA-6720 (Juni 2002) 107-13

van der Laan, J.G.; Baard, J.; Bakker, K.; Conrad, R.; Fokkens, J.H.; Jong, M.; Malang, S.; Pijlgroms, B.J.; Reimann, J.; Schleisiek, K.; Stijkel, M.P.; Wolf, F.; The in-pile testing of HCPB pebble-bed assemblies in the HFR Petten; Yamawaki, M. (Ed.) CBBI-9 : Proc. of the 9th Int. Workshop on Ceramic Breeder Blanket Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ. of Tokyo, (2002) 61-80

Lulewicz, J.D.; Roux, N.; Piazza, G.; Reimann, J.; van der Laan, J.; Behaviour of Li₂ZrO₃ and Li₂TiO₃ pebbles relevant to their utilization as ceramic breeder for the HCPB blanket; Journal of Nuclear Materials, 283-287 (2000) 1361-65

Perujo, A.; Reimann, J.; Feuerstein, H.; Mancinelli, B.; The oxidation kinetic of incoloy 800 and its deuterium permeation behaviour; Journal of Nuclear Materials, 283-287 (2000) 1292-96

Piazza, G.; Hofmann, G.; Reimann, J.; Malang, S.; Goraieb, A.; Harsch, A.; Measurements of heat transfer through deformed single size beryllium pebble beds; 5th IEA Int. Workshop on Beryllium Technology for Fusion, Moskva, GUS, (October 2001)

Bühler, L.; Reimann, J.; Arbogast, E.; Thomauske, K.; Mechanical behavior of Li₄SiO₄ in a blanket typical geometry; Fusion Engineering and Design, 49-50 (2000) 499-505

Reimann, J.; Behnke, M.; Mechanical behaviour of monosized and binary beryllium pebble beds; Fusion Technology, 38 (2000) 299-309

Reimann, J.; Barleon, L.; Dementjev, S.; Platnieks, I.; MHD-turbulence generation by cylinders in insulated ducts with different cross sections; Fusion Engineering and Design, 51-52 (2000) 849-54

Reimann, J.; Arbogast, E.; Behnke, M.; Müller, S.; Thomauske, K.; Thermomechanical behaviour of ceramic breeder and beryllium pebble beds; Fusion Engineering and Design, 49-50 (2000) 643-649

van der Laan, J.G.; Conrad, R.; Bakker, K.; Boccaccini, L.V.; Boshoven, J.G.; Bühler, L.; Fokkens, J.H.; van Kranenburg, M.A.C.; Pijlgroms, B.J.; Reimann, J.; Design analysis and pre-tests for the irradiation of HCPB typical pebble-bed assemblies; Fusion Engineering and Design, 51-52 (2000) 909-18

Giancarli, L.; Bielak, B.; Fütterer, M.A.; Ogorodnikova, O.; Poitevin, Y.; Salavy, J.F.; Szczepanski, J.; Severi, Y.; Marbach, G.; Benamati, G.; Nardi, C.; Reimann, J.; Objectives feasibility assessment of the WCLL mock-up testing in ITER; Fusion Engineering and Design, 46 (1999) 185-192

Boccaccini, L.V.; Fischer, U.; Malang, S.; Norajitra, P.; Piazza, G.; Reimann, J.; Schleisiek, K.; Werle, H.; Importance of ceramic pebble bed density and tritium residence time for the HCPB blanket design in a power reactor; Van der Laan, J.G. (Ed.) Proc. of the 7th Int. Workshop on Ceramic Breeder Blanket Interactions, Petten, NL, September 14-16, 1998 Petten : NRG, (1999) 1/21-1/29

Giancarli, L.; Benamati, G.; Fütterer, M.; Marbach, G.; Nardi, C.; Reimann, J.; Development of the EU water-cooled Pb-17Li blanket; Fusion Engineering and Design, 39-40 (1998) 639-44

Reimann, J.; Behnke, M.; Experimental investigation of basic properties of monosized and binary beryllium pebble beds; FZKA-6337 (Dezember 99)

Reimann, J.; Arbogast, E.; Müller, S.; Thomauske, K.; Thermomechanical behaviour of ceramic breeder pebble beds; Van der Laan, J.G. (Ed.), Proc. of the 7th Int. Workshop on Ceramic Breeder Blanket Interactions, Petten, NL, September 14-16, 1998 Petten : NRG, (1999) 5/1-5/9

Ying, A.Y.; Abdou, M.A.; Buehler, L.; Enoeda, M.; Malang, S.; Ohara, Y.; Reimann, J.; Summary of laboratory experiments and modelling for thermomechanical properties and interactions of solid breeder pebble bed materials; 5th Int. Symp. on Fusion Nuclear Technology (ISFNT), Roma, I, (September 1999)

Feuerstein, H.; Reimann, J.; Tritium removal from Pb-17Li by vanadium getters. Fütterer, M.A. (Ed.) Proc. of the 1st Int. Workshop on Liquid Metal Blanket Experimental Activities, Paris, F, CEA report DMT 97/442, SERMA/LCA 2113, (1998) 40-44

Glasbrenner, H.; Reimann, J.; Voss, Z.; Becker, J.; Self-healing tests of iron-aluminides in liquid metals. Fütterer, M.A. (ED.), Proc. of the 1st Int. Workshop on Liquid Metal Blanket Experimental Activities, Paris, F, CEA report DMT 97/442, SERMA/LCA 2113 (1998) 186-190

Perujo, A.; Feuerstein, H.; Reimann, J.; Tritium permeation reduction through the HCPB steam generator by in-situ oxidation; 20th Int. Symp. on Fusion Technology (SOFT), Marseille, F, September 7-11, Beaumont, B. et al. (Eds.) Vol.2 (1998) 1437-40

Reimann, J.; Müller, S.; First experiments on the thermomechanical behaviour of Li₄SiO₄ pebble beds. 20th Int. Symp. on Fusion Technology (SOFT), Marseille, F, September 7-11, Beaumont, B. et al. (Eds.) Vol.2 (1998) 1337-40

Dalle Donne, M.; Dell'Orco, G.; Malang, S.; Reimann, J.; Roux, N.; Schleisiek, K.; Development of the EU helium-cooled pebble bed blanket; 4th Int. Symp. on Fusion Nuclear Technology (ISFNT-4), Tokyo, J, April 6-11, 1997

Giancarli, L.; Benamati, G.; Fütterer, M.A.; Nardi, C.; Reimann, J.; Schleisiek, K.; EU water-cooled Pb-17Li DEMO blanket: Fabrication issues and future R and D priorities; Varandas, C. (Ed.) Fusion Technology 1996 : Proc.of the 19th Symp., Lisboa, P, September 16-20,1996, Amsterdam [u.a.] : Elsevier, Vol. 2 (1997) 1307-10

Reimann, J.; Benamati, G.; Moreau, R.; MHD issues of the European self-cooled and water-cooled Pb-17Li blankets; Varandas, C. (Ed.), Fusion Technology 1996: Proc.of the 19th Symp., Lisboa, P, Sept. 16-20, 1996, Amsterdam [u.a.] : Elsevier, Vol. 2 (1997) 1527-30

Reimann, J.; Dementjev, S.; Flerov, A.; Platnieks, I.; MHD turbulence generation in bends perpendicular to the magnetic field; Varandas, C. (Ed.), Fusion Technology 1996: Proc.of the 19th Symp., Lisboa, P, Sept. 16-20,1996, Amsterdam [u.a.] : Elsevier, Vol. 2 (1997) 1531-34

Barleon, L.; Bühler, L.; Burr, U.; Debray, F.; Malang, S.; Molokov, S.; Müller,U.; Reimann, J.; Stieglitz, R.; Platacis, E.; Platnieks, I.; Tillack, M.; MHD investigations for liquid metal fusion blankets; 14th Int. Conf. on Magnetohydrodynamics (MAHYD 95), Jurmala, Latvia, (August 1995)

Reimann, J.; Bucenieks, I.; Bühler, L.; Dementjev, S.; Flerov, A.; Molokov, S.; Platnieks, I.; MHD flow structure in bends perpendicular or partly parallel to the magnetic field; FZKA-5717 (März 96)

Fütterer, M.A.; Albrecht, H.; Reimann, J.; Tosti, S; Contribution to the blanket concept selection exercise working group 3: tritium; Rapport DMT 95/307 (1995)

Giancarli, L.; Benamati, G.; Malang, S.; Perujo, A.; Proust, E.; Reimann, J.; Overview of EU activities on DEMO liquid metal breeder blankets; Fusion Engineering and Design, 27 (1995) 337-52

Malang, S.; Barleon, L.; Bogusch, E.; Norajitra, P.; Reiser, H.; Reimann, J.; Schleisiek, K.; Conceptual design of a dual coolant liquid metal breeder blanket; Herschbach, K. [Hrsg.] Fusion Technology 1994 : Proc.of the 18th Symp., Karlsruhe, August 22-26, 1994 Vol. 2 S.1205-08, Amsterdam [u.a.] : Elsevier, 1995

Malang, S.; Schleisiek, K.; [Hrsg.]; Barleon, L.; Borgstedt, H.U.; Bühler, L.; Dammel, F.; Feuerstein, H.; Fiege, A.; Fischer, U.; Gerhardt, H.; Glasbrenner, H.; Jordan, T.; Kleefeldt, K.; Kramer, W.; Möslang, A.; Norajitra, P.; Reimann, G.; Reimann, J.; Reiser, H.; Riesch-Oppermann, H.; Schmitz, G.; Schnauder, H.; Stieglitz, R.; Tsigé-Tamirat, H.; Dual coolant blanket concept; KfK-5424 (November 94)

Moriyama, H.; Tanaka, S.; Sze, D.K.; Reimann, J.; Terlain, A.; Tritium recovery from liquid metals; Fusion Engineering and Design, 28 (1995) 226-39

Reimann, J.; Giancarli, L.; Malang, S.; Petrizzi, L.; Proust, E.; Salavy, J.F.; Schleisiek, K.; Convertible liquid metal blankets for ITER with Pb-17Li as breeding material; Fusion Engineering and Design, 27 (1995) 353-62

Reimann, J.; Bucenieks, I.; Flerov, A.; Heller, L.; Platnieks, L.; Experiments on pressure drop of MHD flows in manifolds; 2nd Int. Conf. on Energy Transfer in MHD Flows, PAMIR, Aussois, F, September 26-30, (1994)

Reimann, J.; Buceniaks, I.; Bühler, L.; Dementjev, S.; Florev, A.; Platnieks, I.; Flow structure downstream of a 90° bend perpendicular to the magnetic field; 14th Int. Conf. on Magnetohydrodynamics (MAHYD 95), Jurmala, Latvia, (August 1995)

Reimann, J.; Barleon, L.; Buceniaks, I.; Bühler, L.; Lenhart, L.; Malang, S.; Molokov, S.; Platnieks, I.; Stieglitz, R.; Magnetohydrodynamic investigations of a self-cooled Pb-17Li blanket with poloidal-radial-toroidal ducts; Fusion Engineering and Design, 27 (1995) 593-606

Reimann, J.; Benamati, G.; Moreau, R.; Report of working group MHD for the blanket concept selection exercise (BCSE); FZKA-5652 (September 95)

Reimann, J.; Dammel, F.; Fischer, U.; Jordan, T.; Malang, S.; Norajitra, P.; Reimann, G.; Reiser, H.; Schleisiek, K.; The EU conceptual design proposal of a helium-cooled convertible blanket for ITER.

Herschbach, K. [Hrsg.] Fusion Technology 1994 : Proc. of the 18th Symp., Karlsruhe, August 22-26, 1994 Vol. 2 S.1189-92, Amsterdam [u.a.] : Elsevier, (1995)

Reimann, J.; Kirchner, R.; Pfeff, M.; Rackel, D.; Tritium removal technique for a self-cooled Pb-17Li blanket; Herschbach, K. [Hrsg.] Fusion Technology 1994 : Proc. of the 18th Symp., Karlsruhe, August 22-26, 1994 Vol. 2 S.1099-1102, Amsterdam [u.a.] : Elsevier, (1995)

Stieglitz, R.; Barleon, L.; Reimann, J.; Mack, K.J.; MHD-flows in partially decoupled parallel U-bends at high Hartmann numbers; Herschbach, K. [Hrsg.] Fusion Technology 1994 : Proc. of the 18th Symp., Karlsruhe, August 22-26, 1994 Vol. 2 S.1209-12, Amsterdam [u.a.] : Elsevier, (1995)

Stieglitz, R.; Barleon, L.; Molokov, S.; Reimann, J.; Mack, K.J.; Multi-channel effects in MHD duct flows of electrically coupled and partially decoupled systems; 14th Int. Conf. on Magnetohydrodynamics (MAHYD 95), Jurmala, Latvia, August 24-26, (1995)

Müller, U.; Barleon, L.; Bühler, L.; Lenhard, L.; Malang, S.; Molokov, S.; Reimann, J.; Stieglitz, R.; Platnieks, I.; Platacis, E.; Hue, T.Q.; Picologlou, B.F.; Reed, C.B.; Liquid metal blanket concept for a fusion reactor and related MHD-research; 2nd Int. Conf. on Energy Transfer in MHD Flows, PAMIR, Aussois, F, (Sept. 1994)

Reimann, J.; Bühler, L.; Mack, K.J.; Platnieks, I.; Stieglitz, R.; Stumpf, F.; Influence of a magnetic field B on pressure drop of a liquid metal flow through a T-junction perpendicular to B; 2nd Int. Conf. on Energy Transfer in MHD Flows, PAMIR, Aussois, F, (Sept. 1994)

Reimann, J.; Buceniaks, I.; Dementev, S.; Flerov, A.; Molokov, S.; Platnieks, I.; MHD-velocity distributions in U-bends partly parallel to the magnetic field; 2nd Int. Conf. on Energy Transfer in MHD Flows, PAMIR, Aussois, F, (Sept. 1994)

Stieglitz, R.; Molokov, S.; Barleon, L.; Reimann, J.; Mack, K.J.; MHD-flows in electrically coupled bends. 2nd Int. Conf. on Energy Transfer in MHD Flows, PAMIR, Aussois, F, (Sept. 1994)

Malang, S.; Barleon, L.; Buehler, L.; Deckers, H.; Molokov, S.; Mueller, U.; Norajitra, P.; Reimann, J.; Reiser, H.; Stieglitz, R.; MHD-work on self-cooled liquid metal blankets under development at the Nuclear Research Center Karlsruhe; 7th Beer-Sheva Int. Seminar on MHD Flows and Turbulence, Beer-Sheva, IL, (February 1993)

Reimann, J.; Kirchner, R.; Pfeff, M.; Rackel, D.; Hydrogen removal from NaK with mesh-packed and meshless cold traps; Liquid Metal Systems, Karlsruhe, (March 1993)

Reimann, J.; Molokov, S.; Platnieks, I.; Platacis, E.; MHD-flow in multichannel U-bends: screening experiments and theoretical analysis; Ferro, C. [Hrsg.] Fusion Technology 1992 : Proc. of the 17th Symp., Roma, I, September 14-18, 1992 Vol. 2 ,Amsterdam [u.a.] : North Holland, (1993) 1459-63

Reimann, J.; Molokov, S.; Platnieks, I.; Platacis, E.; MHD flow in multichannel U-bends: screening experiments and theoretical analysis; KfK-5102 (Februar 93)

Reimann, J.; Kirchner, R.; Rackel, D.; Tritium recovery from NaK-cold traps: investigation of hydrogen release kinetics; Fusion Engineering and Design, 18 (1991) S.67-72

John, H.; Malang, S.; Sebening, H.; [Hrsg.]; Barleon, L.; Bogusch, E.; Bojarsky, E.; Borgstedt, H.U.; Buehler, L.; Casal, V.; Deckers, H.; Feuerstein, H.; Fischer, U.; Frees, G.; Graebner, H.; John, H.; Jordan, Th.; Kramer, W.; Krieg, R.; Lenhart, L.; Malang, S.; Meyder, R.; Norajitra, P.; Reiser, H.; Reimann, J.; Schwenk-Ferrero, A.; Schnauder, H.; Stieglitz, R.; Oschinski, J.; Wiegner, E.; Status report KfK contribution to the development of DEMO-relevant test blankets for NET/ITER. Part 1: Self-cooled liquid metal breeder blanket. Vol.2: Detailed version; KfK-4908 (Dezember 91)

Malang, S.; Deckers, H.; Fischer, U.; John, H.; Meyder, R.; Norajitra, P.; Reimann, J.; Reiser, H.; Rust, K.; Self-cooled blanket concepts using Pb-17Li as liquid breeder and coolant; Fusion Engineering and Design, 14 (1991) 373-99

Malang, S.; Reimann, J.; Sebening, H.; [Hrsg.]; Barleon, L.; Bogusch, E.; Bojarsky, E.; Borgstedt, H.U.; Buehler, L.; Casal, V.; Deckers, H.; Feuerstein, H.; Fischer, U.; Frees, G.; Graebner, H.; John, H.; Jordan, Th.; Kramer, W.; Krieg, R.; Lenhart, L.; Malang, S.; Meyder, R.; Norajitra, P.; Reimann, J.; Schwenk-Ferrero, A.; Schnauder, H.; Stieglitz, R.; Oschinski, J.; Wiegner, E.; Status report KfK contribution to the development of DEMO-relevant test blankets for NET/ITER. Part 1: Self-cooled liquid metal breeder blanket. Vol.1: Summary; KfK-4907 (Dezember 91)

Mueller, U.; Reimann, J.; Redistribution of two-phase flow in branching conduits: a survey. Int. Conf. on Multiphase Flows, Tsukuba, J, (September 1991)

Reimann, J.; Tritium inventory and recovery for a self-cooled Pb-Li blanket; Fusion Engineering and Design, 14(1991) 413-25

Reimann, J.; Kirchner, R.; Pfeff, M.; Rackel, D.; Tritium removal from NaK-cold traps: first results on hydride precipitation kinetics; 4th Topical Meeting on Tritium Technology in Fission, Fusion and Isotopic Applications, Albuquerque, N.M., (September 29 - October 4, 1991)

Mueller, U.; Malang, S.; Deckers, H.; Fischer, U.; John, H.; Meyder, R.; Norajitra, P.; Reimann, J.; Reiser, H.; Rust, K.; Self-cooled blanket concepts using Pb-17Li as liquid breeder and coolant; Efremov Inst., Leningrad and Polytechnical Inst., Leningrad, SU, March 30, (1990)

Reimann, J.; Feuerstein, H.; Gettering and/or cold trapping for tritium recovery from a self-cooled Pb-17Li blanket; 16th Symp.on Fusion Technology (SOFT), London, GB, (September 1990)

Buehler, L.; Reimann, J.; Mass transfer at mixed convection in vertical cylinders; 7th Symp.on Heat and Mass Transfer, Jadwisin, PL, (October 1989)

John, H.; Reimann, J.; Westphal, F.; Friedel, L.; Critical two-phase flow through rough slits; Int. Journal of Multiphase Flow, 14 (1988) 155-74

Malang, S.; Arheidt, K.; Casal, V.; John, H.; Moeller, R.; Reimann, J.; Borgstedt, H.U.; Deckers, H.; Norajitra, P.; Reiser, H.; Fischer, U.; Das Konzept eines Brutblankets mit der eutektischen Blei-Lithium-Legierung Pb-17Li als Bruststoff und Kuehlmittel; KfK-Nachrichten, 21 (1989) 213-23

Reimann, J.; John, H.; Malang, S.; Tritium separation and recovery from NaK by cold traps: results on hydrogen recovery from Na and NaK; Van Ingen, A.M. (Ed.), Proc.of the 15th Symp.on Fusion Technology, Utrecht, NL, September 19-23, 1988, Amsterdam : North-Holland [u.a.], Vol. 2 (1989) 1306-11

Reimann, J.; John, H.; Tritium separation from Pb-17Li by permeation into NaK and cold trapping: first experiments on hydrogen recovery; 4th Int. Conf.on Liquid Metal Engineering and Technology (LIMET'88), Avignon, F, October 17-21, Proc.Vol. III, (1988) Paper 621

Kefer, V.; Kastner, W.; Westphal, F.; John, H.; Reimann, J.; Friedel, L.; Vorhersagegenauigkeit von Modellen fuer Leckraten aus Rissen in druckfuehrenden Komponenten; Gundelach, V.G. [Hrsg.] Fortschritte der Sicherheitstechnik II : Berichte aus der Arbeit der Dechema- Fachausschuesse im Jahre 1987 Weinheim [u.a.] : Verl. Chemie, (Dechema-Monographien ; 111) (1988) 123

Malang, S.; Arheidt, K.; Barleon, L.; Borgstedt, H.U.; Casal, V.; Fischer, U.; Link, W.; Reimann, J.; Rust, K.; Schmidt, G.; Self-cooled liquid-metal blanket concept; Fusion Technology, 14 (1988) 1343-56

Reimann, J.; Brinkmann, H.J.; Domanski, R.; Gas-liquid flow in dividing tee-junctions with a horizontal inlet and different branch orientations and diameters; KfK-4399 (Dezember 88)

Reimann, J.; Tritium separation from Pb-17Li by permeation into Na or NaK and cold trapping: first experiments on recovery from cold traps; Fusion Technology, 14 (1988) 804-07

Domanski, R.; Reimann, J.; Mueller, U.; Phase redistribution and pressure drop in T-junctions with different diameter ratios; European Two-Phase Flow Meeting, Trondheim, N, (June 1987)

John, H.; Reimann, J.; Eisele, G.; Kritische Leckstroemung aus rauhen Rissen in Druckbehaeltern; KfK-4192 (Oktober 87)

Kuechle, M.; Bojarsky, E.; Dorner, S.; Fischer, U.; Reimann, J.; Reiser, H.; Potential and problems of an aqueous lithium salt solution blanket for NET; KfK-4271 (Juli 87)

Reimann, J.; Brinkmann, H.J.; A new gas separator for gas-liquid pipeline flow; Int. Conf. on Offshore Separation Pipeline Flow, Edinburgh, GB, (October 1987)

Reimann, J.; A new gas separator for stratified and slug flow.; 3rd Int. Conf. on Multi-Phase Flow, Den Haag, NL, May 18-20, 1987

Reimann, J.; Dinner, P.; Malang, S.; Wu, C.; Tritium separation from LiPb blankets by permeation into a gas stream or into NaK; Fusion Technology; Proc. of the 14th Symp., Avignon, F, September 8-12, 1986
Oxford [u.a.], Pergamon Press Vol.2 (1986) 1579-84

Reimann, J.; Domanski, R.; Two-phase flow through dividing T-junctions with different diameter ratios; AIChE Meeting on Phase Distribution and Separation in Multiphase Systems, New York, N.Y., November 15-20, (1987)

Smoglie, C.; Reimann, J.; Mueller, U.; Two-phase flow through small breaks in a horizontal pipe with stratified flow; Nuclear Engineering and Design, 99 (1987) 117-30

John, H.; Reimann, J.; Critical two-phase flow through rough slits; European Two Phase Flow Group Meeting, Muenchen, (June 1986)

Reimann, J.; Malang, S.; A study on tritium separation from LiPb by permeation into Na or NaK and cold trapping; KfK-4105 (Oktober 86)

Reimann, J.; [KfK-Mitarb.]; u.a.; Technical issues and requirements of experiments and facilities for fusion nuclear technology : FINESSE phase 1 report.; Vol.II, UCLA-ENG-85-39(1985)

Reimann, J.; Brinkmann, H.J.; Bopp, W.; Two-phase flow in T-junctions with small branches; European Two Phase Flow Group Meeting, Muenchen, June 10-13, (1986)

Seeger, W.; Reimann, J.; Mueller, U.; Two-phase flow in a T-junction with a horizontal inlet; Part I: Phase separation. Part II: Pressure Differences; Int. Journal of Multiphase Flow, 12 (1986) 575-85, 587-608

Smoglie, C.; Reimann, J.; Two-phase flow through small branches in a horizontal pipe with stratified flow; Int. Journal of Multiphase Flow, 12 (1986) 609-26

John, H.; Ohlmer, E.; Schulze, W.; Weste, G.; Reimann, J.; Eisele, G.; Test eines Messeinsatzes mit 2 Local-Flow Turbinen, 2 Dragbodies, einer Full- Flow Turbine und einem 2-Strahl-Densitometer der LOBI-Anlage in transienter Zweiphasenstroemung; KfK-3877 (Juni 85)

John, H.; Barth, S.; Demski, A.; Eisele, G.; Hitzig, K.; Kleiber, S.; Megerle, A.; Pawlak, L.; Reimann, J.; Wanner, E.; Weinbrecht, R.; Versuchsstand fuer instationaere Zweiphasenmesstechnik; KfK-3550 (Juni 85) 4100/83-4100/96

Seeger, W.; Reimann, J.; Mueller, U.; Phase separation in a T-junction with a horizontal inlet; Int. Journal of Multiphase Flow, Paper A2, (1985) 13-26

Smoglie, C.; Reimann, J.; Mueller, U.; Two-phase flow through small breaks in a horizontal pipe with stratified flow; Chiu, Chong [Hrsg.] Reactor Thermal Hydraulics. Proc. of Third Int. Topical Meeting, Newport, R.I., October 15-18, 1985, ANS., - Vol.2 (1985) 13/A.1-A.8

John, H.; Reimann, J.; Eisele, G.; Ohlmer, E.; Schulze, W.; Test of a mass flow rate measuring spool piece involving drag body, gamma densitometer, local flow turbines and full flow turbine in transient two-phase flow; Symp. Mass Flow Measurement, ASME Winter Annual Meeting, New Orleans, La., (December 1984)

John, H.; Reimann, J.; Mueller, U.; Test of two-phase mass flow rate instrumentation in transient steam-water flow; Delhaye, J.M.; Cognet, G. (Eds.), Measuring Techniques in Gas-Liquid Two-Phase Flows, UITAM-Symp., (Internat.Union of Theoretical and Applied Mechanics), Nancy, F, July 5-8, 1983, Berlin [u.a.] : Springer (1984) 677-94

Reimann, J.; Khan, M.; Flow through a small break at the bottom of a large pipe with stratified flow; Nuclear Science and Engineering, 88(1984) 297-310

Reimann, J.; Seeger, W.; Pressure drop of air-water and steam-water flow in a dividing T-junction. European Two-Phase Group Meeting 1984, Roma, I, (June 1984)

Reimann, J.; Kusterer, H.; John, H.; Two-phase mass flow rate measurements with Pitot tubes and density measurements; Delhaye, J.M.; Cognet, G. (Eds.), Measuring Techniques in Gas-Liquid Two-Phase Flows, UITAM-Symp.,(Internat.Union of Theoretical and Applied Mechanics), Nancy, F, July 5-8, 1983,: Springer Berlin [u.a.] (1984) 625-50

Reimann, J.; Vergleich von kritischen Massenstrom-Modellen im Hinblick auf die Stroemung durch Lecks. Munz, D. [Hrsg.] Leck-vor-Bruch-Verhalten druckbeaufschlagter Komponenten. Duesseldorf: VDI (Fortschrittsberichte der VDI-Zeitschriften. Reihe 18, Nr. 14) (1984) 63-95

Smoglie, C.; Reimann, J.; Two-phase flow through a small horizontal branch in a pipe with stratified flow; Jahrestagung Kerntechnik 84. Frankfurt, 22.-24.Mai 1984. Kerntechnische Ges.e.V. Deutsches Atomforum e.V.Eggenstein-Leopoldshafen: Fachinformationszentrum Energie, Physik, Mathematik (1984) 73-76

Reimann, J.; Developments in two-phase mass flow rate instrumentation; Kakac, S. [Hrsg.] Advances in Two Phase Flow and Heat Transfer : Fundamentals and Applications; Proc.of the NATO Advanced Research Workshop, Spitzingsee, August 31 – September 3, 1982,: Nijhoff, Boston[u.a.] (1983) 338-402

Reimann, J.; Smoglie, C.; Flow through a small pipe at the top of a large pipe with stratified flow; European Two-Phase Flow Group Meeting, Zuerich, CH, (June 1983)

Reimann, J.; Brockmann, E.; Hassenpflug, H.U.; Neeb, B.; John, H.; Further development of drag bodies for the measurement of mass flow rates during blowdown experiments; Plesset, M.S. [Hrsg.] Transient Two Phase Flow : Proc.of the 3rd CSNI Specialist Meeting, Pasadena, Calif., March 23-25, 1981: Hemisphere Publ.Co., Washington, D.C. [u.a.] (1983) 21-37

Reimann, J.; John, H.; Frank, R.; Measurement of mass flow rate and quality with a Venturi nozzle and a turbine meter in steam-water flow; Plesset, M.S. [Hrsg.] Transient Two Phase Flow : Proc.of the 3rd CSNI Specialist Meeting, Pasadena, Calif., March 23-25, 1981: Hemisphere Publ.Co., Washington, D.C. [u.a.] (1983) 71-84

Reimann, J.; Seeger, W.; Two-phase pressure drop in a deviding Tee-junction; Euromech Colloquium 176; The Mechanics of Gas-Liquid Flow Systems, Villard de Lans, F, (September 1983)

John, H.; Hain, K.; Bruederle, F.; Reimann, J.; Vollmer, H.; Test of an advanced true mass flow meter (TMFM) in gas-liquid flow; 3rd Joint Thermophysics, Fluids, Plasma and Heat Transfer Conf., St. Louis, Mo., (June 1982)

Reimann, J.; Khan, M.; Flow through a small pipe at the bottom of a large pipe with stratified flow; Annual Meeting of the European Two-Phase Flow Group, Paris - La Defense, F, (June 1982)

Reimann, J.; John, H.; Mueller, U.; Measurements of two-phase mass flow rate: a comparison of different techniques; Int. Journal of Multiphase Flow, 8 (1982) S.33-46

John, H.; Hain, K.; Bruederle, F.; Reimann, J.; Schloss, F.; Test des Massenstrom-Messgeraetes TMFM-50 fuer Zweiphasen-Stroemungen; KfK-3215 (Oktober 81)

Reimann, J.; John, H.; Seeger, W.; Experiments on the transition from slug to annular flow in horizontal air-water and steam-water flow; Meeting of the European Two Phase Flow Group, Eindhoven, NL, June 2-5, 1981

Reimann, J.; John, H.; Demski, A.; Hassenpflug, H.; Muelli, R.; Neeb, B.; Pawlak, L.; Sallet, D.; Seeger, W.; Weinbrecht, R.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrom-Messverfahren; KfK-2950 (August 81) 4100/75-4100/114

Reimann, J.; John, H.; Seeger, W.; Transition from slug to annular flow in horizontal air-water and steam-water flow; KfK-3189 (November 81)

Frank, R.; Reimann, J.; John, H.; Mass flow rate and quality measurements with a venturi nozzle and a turbine meter in steam-water flow; European Two-Phase Flow Group Meeting, University of Strathclyde, Glasgow, GB, (June 1980)

Kedziur, F.; John, H.; Loeffel, R.; Reimann, J.; Experimental investigation of a two-phase nozzle flow; KfK-2902 (July 1980)

Reimann, J.; John, H.; Doerfel, R.; Solbrig, C.W.; Chen, L.L.; Good, R.R.; Mass flow rate measurements in horizontal steam-water flow with a drag disc turbine transducer, a gamma densitometer and the radiotracer technique; Proc. of the ANS/ASME/NRC Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics, Saratoga Springs, N.Y., October 5-8, 1980, NUREG/CP-0014 Vol.2, (1980) 982-998

Reimann, J.; John, H.; Loeffel, R.; Solbrig, C.W.; Shull, G.B.; Good, R.R.; Chen, L.L.; Test of the EG and G two-phase mass flow rate instrumentation at Kernforschungszentrum Karlsruhe. Data report Vol. 1: test results from LOFT production DTT and a LOFT type gamma densitometer; KfK-2784 (December 80)

Reimann, J.; John, H.; Mueller, U.; Zweiphasenmassenstrom-Messungen: Ein Vergleich verschiedener Messverfahren. Two-phase mass flow measurements: comparison of different methods; KfK-3070 (November 80)

Solbrig, C.W.; Reimann, J.; Behavior of drag disc turbine transducers in steady-state two-phase flow; IEEE Transactions on Nuclear Science, NS-27(1980) 1321-29

John, H.; Reimann, J.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrommessverfahren. Anlagenbeschreibung; KfK-2731B (February 79)

John, H.; Reimann, J.; Alsmeyer, H.; Hahn, H.; Megerle, A.; Serielles 5-Strahl- γ -Densitometer zur Dichtemessung einer Zweiphasenstroemung; KfK-2783 (November 79)

Reimann, J.; Solbrig, C.W.; Calibration of a drag disc turbine transducer and a gamma beam densitometer to measure the mass flow rate in separated horizontal two-phase flow; 14.Intersociety Energy Conversion Engineering Conf., Boston, Mass., USA, (August 1979)

Reimann, J.; John, H.; Loeffel, R.; Solbrig, C.W.; Chen, L.L.; Goodrich, L.D.; Tests of the EG and G two-phase mass flow rate instrumentation at Kernforschungszentrum Karlsruhe. Analyses Report Vol.1: Test results from LOFT production DTT and a LOFT type gamma densitometer; KfK-2812 (December 79)

Solbrig, C.W.; Reimann, J.; Behavior of drag disc turbine transducers in steady-state two-phase flow; Instrument Society of America, Anaheim, Calif., USA, (May 1979)

- Wagner, K.; Reimann, J.; Class, G.; John, H.; Schloss, F.; Transient and steady-state two-phase mass flow rate measurements with a true mass flow meter; Nuclear Power Option for the World, Europ.Nuclear Conf., Hamburg, May 6-11, 1979, American Nuclear Society, Transactions, 31 (1979) 431-33
- Class, G.; Reimann, J.; Wagner, K.; Transient two-phase mass flow rate measurements with a true mass flow meter; Two-Phase Flow Instrumentation Review Group Meeting, Troy, N.Y., (March 1978)
- Reimann, J.; John, H.; Mueller, S.; Impedance probe for detecting flow regime and measuring the phase distribution in horizontal air-water and steam-water flow; Two-Phase Flow Instrumentation Review Group Meeting, Troy, N.Y., (March 1978)
- Reimann, J.; John, H.; Measurements of the phase distribution in horizontal air-water and steam-water- flow; Specialists' Meeting on Transient Two-Phase Flow, Paris, (June 1978)
- Reimann, J.; John, H.; Phasenverteilung in horizontaler Luft-Wasser- sowie Dampf-Wasser-Stroemung; Reaktortagung, Hannover, 4.-7.April 1978, Deutsches Atomforum e.V., Kerntechnische Ges. im Dt. Atomforum e.V. Leopoldshafen ZAED. (1978) 170-73
- Riebold, W.; Barschdorff, D.; Class, G.; Hampel, G.; Kosfeld, R.; Loeffel, R.; Reimann, J.; Wesser, U.; Summary of German Instrumentation Research; 5. Water Reactor Safety Research Information Meeting, Washington, D.C., (November 1977)
- Barschdorff, D.; Class, G.; Loeffel, R.; Reimann, J.; Mass flow measuring techniques in transient two phase flow; Specialists' Meeting on Transient Two-Phase Flow, Toronto, (August 1976)
- John, H.; Mueller, U.; Reimann, J.; A test loop for testing measuring methods for the mass flow rate of two-phase flows; 1976 Meeting of the European Two-Phase-Flow Group, Erlangen, (May 30-June 2 1976)
- Reimann, J.; John, H.; Wanner, E.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrommessverfahren; KFK-2262 (Juni 76) 183-92
- Reimann, J.; Massenstrommessverfahren fuer Zweiphasenstroemungen. (Dampf-Fluessigkeit) KTG - Fachtagung: Experimentiertechnik auf dem Gebiet der Reaktor-Fluidynamik, Berlin, (Maerz 1976)
- Loeffel, R.; Barschdorff, D.; Wolf, E.; Class, G.; Reimann, J.; John, H.; Entwicklung von Verfahren zur Massenstrommessung instationaerer Zweiphasenstroemungen; KFK-Nachrichten, 7 No 3 (1975) 22-30
- Reimann, J.; Experimental Investigation of free convection flow from wires in the vicinity of phase interfaces; Int. J. Heat Mass Transfer 97 (1974) 1051-1061
- Reimann, J; Ebene freie Konvektionsstroemung ueber waagerechten Zylindern kleiner Grashof-Zahl unter dem Einfluss einer ebenen Wand; Z. Angewandte Mathematik und Mechanik, 53 (1973) 115-116
- Reimann, J; Freie Konvektionsstroemung kleiner Grashof-Zahl verursacht durch waagerechte Zylinder unter dem Einfluss einer ebenen Wand; Dissertation Universitaet Karlsruhe (1972)
- Euteneuer, G.-A.; Reimann, J.; Der Mechanismus der Sichtbarkeit von Görtler-Taylor-Wirbeln in Flüssigkeiten mittels feingemahlenem Pulver; Acta Mechanica 12 (1971) 89-97
-
-
- ## Patents
- Reimann, J.; Kaltfalle mit magnetischem Drehfeld; DE-OS 38 41 519 (28.6.1990)
- Reimann, J.; Brinkmann, H.J.; Entgaser;

DE-OS 36 33 379 (14.4.1988)
DE-PS 36 33 379 (27.10.1988)

Reimann, J.; Entgaser;
DE-PS 34 19 159 (17.9.1985)

Reimann, J.; John, H.; Dichtemessvorrichtung fuer stroemende Medien nach dem Durchstrahlungsprinzip;
DE-PS 26 42 064 (25.6.1981)