

Joerg Reimann et al. Publications on Thermomechanics of Pebble Beds

Contact: reimann-langhans@web.de

- Reimann, J.; Beres, O.; Colle, J.Y.; Dorn, C.; Harsch, H.; Koenigs, R.; Kurinsky, P.; First measurements of beryllide vapor pressures; KIT Scientific Reports, KIT-SR 7650 (September 2013) S.258-262
- Reimann, J.; Abou-Sena, A.; Brun, E.; Fretz, B.; Packing experiments of Beryllium pebble beds for the fusion reactor HCPB blanket; 11th IEA Int. Workshop on Beryllium Technology (BeWS 2013), Barcelona, E, September 12-13, 2013
- Reimann, J.; Abou-Sena, A.; Nippen, R.; Tafforeau, P.; Pebble bed packing in prismatic containers; Fusion Engineering and Design, 88(2013) S.2343-2347
- Reimann, J.; Abou-Sena, A.; Nippen, R.; Ferrero, C.; Pebble bed packing in square cavities; KIT Scientific Reports, KIT-SR 7631 (Januar 2013)
- Vladimirov, P.; Reimann, J.; [Hrsg.]; Proceedings of the 10th IEA international workshop on beryllium technology; KIT Scientific Reports, KIT-SR 7650 (September 2013)
- Chakin, V.; Reimann, J.; Moeslang, A.; Latypov, R.; Obukhov, A.; Thermal conductivity of highly neutron-irradiated beryllium in nuclear fusion reactors; Progress in Nuclear Energy, 57(2012) S.2-7
- Reimann, J.; Benesch, A.; Colle, J.Y.; Dorn, C.; Harsch, H.; Kurinskiy, P.; First measurements of beryllium vapor pressures; Vladimirov, P.; Reimann, J.; [Hrsg.] Proc. of the 10th IEA international workshop on beryllium technology; KIT Scientific Reports, KIT-SR 7650 (September 2013)
- van der Laan, J.G.; Fedorov, A.V.; van Til, S.; Reimann, J.; Ceramic breeder materials; Radiation effects in Structural and Functional Materials for Fission and Fusion Reactors, Amsterdam [u.a.] : Elsevier, 2012 S.463-510
- Ying, A.; Reimann, J.; Boccaccini, L.; Enoda, M.; Kamlah, M.; Knitter, R.; Gan, Y.; Van der Laan, J.; Magielsen, L.; Di Maio, P.A.; Dell'Orco, G.; Annabattula, R.K.; Van Lew, J.T.; Tanigawa, H.; Van Til, S.; Status of ceramic breeder pebble bed thermo-mechanics R&D and impact on breeder material mechanical strength; Fusion Engineering and Design, 87(2012) S.1130-1137
- Pieritz, R.A.; Reimann, J.; Ferrero, C.; 3D tomography analysis of the inner structure of pebbles and pebble beds; Advanced Engineering Materials, 13(2011) S.145-155
- Gan, X.; Kamlah, M.; Reimann, J.; Computer simulation of packing structure in pebble beds; Fusion Engineering and Design, 85(2010) S.1782-87
- Pieritz, R.A.; Reimann, J.; Ferrero, C.; 3D tomography analysis of the inner structure of pebbles and pebble beds; Advanced Engineering Materials, 13(2011) S.145-155
- Löbbecke, B.; Knitter, R.; Rohde, M.; Reimann, J.; Thermal conductivity of sintered lithium orthosilicate compacts; Journal of Nuclear Materials, 386-388(2009) S.1068-70
- Reimann, J.; Pieritz, R.A.; Ferrero, C.; di Michiel, M.; Rolli, R.; X-ray tomography investigations on pebble bed structures; Fusion Engineering and Design, 83(2008), 1326-1330
- Reimann, J.; Goraieb, A.; Harsch, H.; Thermal conductivity of compressed binary beryllium pebble beds; 8th IEA Int. Workshop on Beryllium Technology, Lisboa, P, December 5-7, 2007
- Reimann, J.; Goraieb, A.; Harsch, H. ; Thermal creep of compressed binary beryllium pebble beds; 8th IEA Int. Workshop on Beryllium Technology, Lisboa, P, December 5-7, 2007
- Reimann, J.; Bühler, L.; Mistrangelo, C.; Molokov, S.; Magneto-hydrodynamic issues of the HCLL blanket; Fusion Engineering and Design, 81(2006) S.625-29
- Reimann, J.; Piazza, G.; Harsch, H.; Thermal conductivity of compressed beryllium pebble beds; Fusion Engineering and Design, 81(2006) S.449-54

Reimann, J.; Pieritz, R.A.; Rolli, R.; Topology of compressed pebble beds; Fusion Engineering and Design, 81(2006) S.653-58

Reimann, J.; Pieritz, R.A.; di Michiel, M.; Ferrero, C.; Inner structures of compressed pebble beds determined by X-ray tomography; Fusion Engineering and Design, 75-79(2005) S.1049-53

Reimann, J.; Piazza, G.; Xu, Z.; Goraieb, A.; Harsch, H.; Measurements of the thermal conductivity of compressed beryllium pebble beds; FZKA-7096 (Mai 2005)

Reimann, J.; Harsch, H.; Thermal creep of beryllium pebble beds; Fusion Engineering and Design, 75-79(2005) S.1043-46

Reimann, J.; Pieritz, R.A.; Di Michiel, M.; Ferrero, C.; Topology of compressed pebble beds determined by X-ray tomography; FZKA-7120 (Juni 2005)

Hegeman, H.; van der Laan, J.; Magielsen, A.J.; Moeslang, A.; Rabaglino, E.; Piazza, G.; Reimann, J.; Ooijevaar, M.A.G.; Stijkel, M.P.; Kamer, S.; The HFR Petten high dose irradiation programme of beryllium for blanket application HIDOBE; 6th IEA Internat. Workshop on Beryllium Technology for Fusion, Miyazaki, J, December 3-6, 2003

Hegeman, J.B.J.; van der Laan, J.G.; Knitter, R.; Reimann, J.; Lulewicz, J.D.; Hayashi, K.; Ying, A.; A high fluence irradiation of ceramic breeder materials in HFR Petten, materials characterisation and test matrix; 23rd Symp. on Fusion Technology (SOFT), Venezia, I, September 20-24, 2004

Knitter, R.; Piazza, G.; Reimann, J.; Risthaus, P.; Boccaccini, L.V.; Fabrication and characterization of lithium orthosilicate pebbles using LiOH as a new raw material; Enoda, M. [Hrsg.] Proc. of the 11th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-11), Tokyo, J, December 15-17, 2003
JAERI-Conf 2004-012 (July 2004) S.108-19

Magielsen, A.J.; van der Laan, J.G.; Boccaccini, L.V.; Conrad, R.; Fokkens, J.H.; Jong, M.; Pijlgroms, B.J.; Reimann, J.; Stijkel, M.P.; In-pile performance of HCPB pebble-bed assemblies; Enoda, M. [Hrsg.] Proc. of the 11th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-11), Tokyo, J, December 15-17, 2003
JAERI-Conf 2004-012 (July 2004) S.52-60

Möslang, A.; Rabaglino, E.; Boccaccini, L.V.; Cardella, A.; Alves, E.; Druyts, F.; Fischer, U.; Hegeman, J.B.J.W.; Leichtle, D.; Piazza, G.; Reimann, J.; Sannen, L.; Scibetta, M.; van der Laan, J.; Status of the European R&D on beryllium as multiplier material for breeder blankets; 6th IEA Int. Workshop on Beryllium Technology for Fusion, Miyazaki, J, December 2-5, 2003

Reimann, J.; Harsch, H.; Characterisation of orthosilicate ex hydroxide pebble beds and mechanical cycling of different types of ceramic breeder materials; Knitter, R. [Hrsg.] FZKA-7078 (Dezember 2004) S.85-95

Reimann, J.; Pieritz, R.A.; Di Michiel, M.; Ferrero, C.; Inner structures of compressed pebble beds determined by X-ray tomography; 7th Int. Conf. on Nanostructured Materials, Wiesbaden, June 20-24, 2004, 23rd Symp. on Fusion Technology (SOFT), Venezia, I, September 20-24, 2004

Hegeman, J.B.J.; van Essen, E.D.L.; Jong, M.; van der Laan, J.G.; Reimann, J.; Thermomechanical behaviour of ceramic breeder pebble stacks for HICU; Fusion Engineering and Design, 69(2003) S.425-29

Hermesmeyer, S.; Reimann, J.; Particle flow of ceramic breeder pebble beds in biaxial compression experiments; Fusion Engineering and Design, 61-62(2002) S.367-73

Piazza, G.; Reimann, J.; Hofmann, G.; Malang, S.; Goraieb, A.A.; Harsch, H.; Heat transfer in compressed beryllium pebble beds; Fusion Engineering and Design, 69(2003) S.227-31

Rabaglino, E.; Ferrero, C.; Reimann, J.; Ronchi, C.; Schulenberg, T.; Study of the microstructure of irradiated beryllium for the validation of the ANFIBE code; Fusion Engineering and Design, 61-62(2002) S.769-73

Reimann, J.; Ericher, D.; Wörner, G. ; Influence of pebble bed dimensions and filling factor on mechanical pebble bed properties; Fusion Engineering and Design, 69(2003) S.241-44

Reimann, J.; Hermsmeyer, S.; Thermal conductivity of compressed ceramic breeder pebble beds; Fusion Engineering and Design, 61-62(2002) S.345-51

Reimann, J.; Boccaccini, L.; Enoeda, M.; Ying, A.Y.; Thermomechanics of solid breeder and Be pebble bed materials; Fusion Engineering and Design, 61-62(2002) S.319-31

van der Laan, J.G.; Boccaccini, L.V.; Conrad, R.; Fokkens, J.H.; Jong, M.; Magielsen, A.J.; Pijlgroms, B.J.; Reimann, J.; Stijkel, M.P.; Malang, S.; Test-element assembly and loading parameters for the in-pile test of HCPB ceramic pebble beds; Fusion Engineering and Design, 61-62(2002) S.383-90

Bühler, L.; Reimann, J.; Thermal creep of granular breeder materials in fusion blankets; Journal of Nuclear Materials, 307-311(2002) S.807-10

Hermsmeyer, S.; Reimann, J.; Particle flow of ceramic breeder pebble beds in biaxial compression experiments; Proc.of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) S.195-201

Piazza, G.; Reimann, J.; Günther, E.; Knitter, R.; Roux, N.; Lulewicz, J.D.; Behaviour of ceramic breeder materials in long time annealing experiments; Fusion Engineering and Design, 58-59(2001) S.653-59

Piazza, G.; Reimann, J.; Günther, E.; Knitter, R.; Roux, N.; Lulewicz, J.D.; Characterisation of ceramic breeder materials for the helium cooled pebble bed blanket; Journal of Nuclear Materials, 307-311(2002) S.811-16

Reimann, J.; Ericher, D.; Wörner, G.; Influence of pebble bed dimensions and filling factor on mechanical pebble bed properties; Proc.of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions(CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) S.161-74

Reimann, J.; Hermsmeyer, S.; Piazza, G.; Wörner, G.; Thermal conductivity measurements of deformed beryllium pebble beds by hot wire method; Yamawaki, M. [Hrsg.] CBBI-9 : Proc.of the 9th Int. Workshop on Ceramic Breeder Blanket Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ.of Tokyo, 2002 S.199-214

Reimann, J.; Hermsmeyer, S.; Wörner, G.; Thermal conductivity of compressed orthosilicate and metatitanate pebble beds; Proc. of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001, FZKA-6720 (Juni 2002) S.185-93

Reimann, J.; Wörner, G.; Thermal creep of ceramic breeder pebble beds; Yamawaki, M. [Hrsg.] CBBI-9 : Proc. of the 9th Int. Workshop on Ceramic Breeder Blanket Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ.of Tokyo, 2002 S.95-108

Reimann, J.; Wörner, G.; Thermal creep of Li₄SiO₄ pebble beds; Fusion Engineering and Design, 58-59(2001) S.647-51

Reimann, J.; Lulewicz, J.D.; Roux, N.; Wörner, G.; Thermal creep of metatitanate pebble beds; Proc.of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) S.175-84

van der Laan, J.G.; Conrad, R.; Fokkens, J.H.; Hofmans, H.E.; Jong, M.; Magielsen, A.J.; Malang, S.; Pijlgroms, B.J.; Reimann, J.; Roux, N.; Stijkel, M.P.; Status of the in-pile test of HCPB pebble-bed assemblies in the HFR Petten; Proc.of the 10th Int. Workshop on Ceramic Breeder Blanket Interactions (CBBI-10), Karlsruhe, October 22-24, 2001 FZKA-6720 (Juni 2002) S.107-13

van der Laan, J.G.; Baard, J.; Bakker, K.; Conrad, R.; Fokkens, J.H.; Jong, M.; Malang, S.; Pijlgroms, B.J.; Reimann, J.; Schleisiek, K.; Stijkel, M.P.; Wolf, F.; The in-pile testing of HCPB pebble-bed assemblies in the HFR Petten; Yamawaki, M. [Hrsg.] CBBI-9 : Proc.of the 9th Int. Workshop on Ceramic Breeder Blanket

Interactions, Toki, J, September 27-29, 2000 Tokyo : Univ.of Tokyo, 2002 S.61-80

Lulewicz, J.D.; Roux, N.; Piazza, G.; Reimann, J.; van der Laan, J.; Behaviour of Li₂ZrO₃ and Li₂TiO₃ pebbles relevant to their utilization as ceramic breeder for the HCPB blanket; Journal of Nuclear Materials, 283-287(2000) Part II, S.1361-65

Piazza, G.; Hofmann, G.; Reimann, J.; Malang, S.; Goraieb, A.; Harsch, A.; Measurements of heat transfer through deformed single size beryllium pebble beds; 5th IEA Int.Workshop on Beryllium Technology for Fusion, Moskva, GUS, October 10-12, 2001

Bühler, L.; Reimann, J.; Arbogast, E.; Thomauske, K.; Mechanical behavior of Li₄SiO₄ in a blanket typical geometry; Fusion Engineering and Design, 49-50(2000) S.499-505

Reimann, J.; Behnke, M.; Mechanical behaviour of monosized and binary beryllium pebble beds; Proc. of the 4th IEA Int.Workshop on Beryllium Technology for Fusion, Karlsruhe, September 15-17, 1999
FZKA-6462 (April 2000) S.143-54, Fusion Technology, 38(2000) S.299-309

Reimann, J.; Arbogast, E.; Behnke, M.; Müller, S.; Thomauske, K.; Thermomechanical behaviour of ceramic breeder and beryllium pebble beds; Fusion Engineering and Design, 49-50(2000) S.643-49

van der Laan, J.G.; Conrad, R.; Bakker, K.; Boccaccini, L.V.; Boshoven, J.G.; Bühler, L.; Fokkens, J.H.; van Kranenburg, M.A.C.; Pijlgroms, B.J.; Reimann, J.; Design analysis and pre-tests for the irradiation of HCPB typical pebble-bed assemblies; Fusion Engineering and Design, 51-52(2000) S.909-18

Reimann, J.; Behnke, M.; Experimental investigation of basic properties of monosized and binary beryllium pebble beds; FZKA-6337 (Dezember 99)

Reimann, J.; Arbogast, E.; Müller, S.; Thomauske, K.; Thermomechanical behaviour of ceramic breeder pebble beds; Van der Laan, J.G. [Hrsg.] Proc. of the 7th Int. Workshop on Ceramic Breeder Blanket Interactions, Petten, NL, September 14-16, 1998 Petten : NRG, 1999 S.5/1-5/9

Ying, A.Y.; Abdou, M.A.; Buehler, L.; Enoeda, M.; Malang, S.; Ohara, Y.; Reimann, J.; Summary of laboratory experiments and modelling for thermomechanical properties and interactions of solid breeder pebble bed materials; 5th Int. Symp. on Fusion Nuclear Technology (ISFNT), Roma, I, September 19-24, 1999

Giancarli, L.; Bielak, B.; Fütterer, M.A.; Ogorodnikova, O.; Poitevin, Y.; Salavy, J.F.; Szczepanski, J.; Severi, Y.; Marbach, G.; Benamati, G.; Nardi, C.; Reimann, J.; Objectives feasibility assessment of the WCLL mock-up testing in ITER; 20th Int. Symp. on Fusion Technology (SOFT), Marseille, F, September 7-11, 1998, Beaumont, B. et al. [Hrsg.] Vol.1 S.32

Reimann, J.; Müller, S.; First experiments on the thermomechanical behaviour of Li₄SiO₄ pebble beds. 20th Int. Symp. on Fusion Technology (SOFT), Marseille, F, September 7-11, 1998, Beaumont, B. et al. [Hrsg.] Vol.2 S.1337-40