

Joerg Reimann et al. Publications on Two-Phase Flow Topics

Contact: reimann-langhans@web.de

Mueller, U.; Reimann, J.; Redistribution of two-phase flow in branching conduits: a survey. Int. Conf. on Multiphase Flows, Tsukuba, J, September 24-27, 1991

John, H.; Reimann, J.; Westphal, F.; Friedel, L.; Critical two-phase flow through rough slits; Int. Journal of Multiphase Flow, 14(1988) S.155-74

Kefer, V.; Kastner, W.; Westphal, F.; John, H.; Reimann, J.; Friedel, L.; Vorhersagegenauigkeit von Modellen fuer Leckraten aus Rissen in druckfuehrenden Komponenten; Gundelach, V.G. [Hrsg.] Fortschritte der Sicherheitstechnik II : Berichte aus der Arbeit der Dechema- Fachausschuesse im Jahre 1987 Weinheim [u.a.] : Verl. Chemie, 1988. - S.123 (Dechema-Monographien ; 111)

Reimann, J.; Brinkmann, H.J.; Domanski, R.; Gas-liquid flow in dividing tee-junctions with a horizontal inlet and different branch orientations and diameters; KfK-4399 (Dezember 88)

Domanski, R.; Reimann, J.; Mueller, U.; Phase redistribution and pressure drop in T-junctions with different diameter ratios; European Two-Phase Flow Meeting, Trondheim, N, June 1-4, 1987

John, H.; Reimann, J.; Eisele, G.; Kritische Leckstroemung aus rauhen Rissen in Druckbehaeltern; KfK-4192 (Oktober 87)

Reimann, J.; Brinkmann, H.J.; A new gas separator for gas-liquid pipeline flow; Int. Conf. on Offshore Separation Pipeline Flow, Edinburgh, GB, October 14- 16, 1987

Reimann, J.; A new gas separator for stratified and slug flow.; 3rd Int. Conf. on Multi-Phase Flow, Den Haag, NL, May 18-20, 1987

Reimann, J.; Domanski, R.; Two-phase flow through dividing T-junctions with different diameter ratios; AIChE Meeting on Phase Distribution and Separation in Multiphase Systems, New York, N.Y., November 15-20, 1987

Smoglie, C.; Reimann, J.; Mueller, U.; Two-phase flow through small breaks in a horizontal pipe with stratified flow; Nuclear Engineering and Design, 99(1987) S.117-30

John, H.; Reimann, J.; Critical two-phase flow through rough slits; European Two Phase FLOW Group Meeting, Muenchen, June 10-13, 1986

Reimann, J.; Brinkmann, H.J.; Bopp, W.; Two-phase flow in T-junctions with small branches; European Two Phase FLOW Group Meeting, Muenchen, June 10-13, 1986

Seeger, W.; Reimann, J.; Mueller, U.; Two-phase flow in a T-junction with a horizontal inlet; Part I: Phase separation. Part II: Pressure Differences; Int. Journal of Multiphase Flow, 12(1986) S.575-85, S.587-608

Smoglie, C.; Reimann, J.; Two-phase flow through small branches in a horizontal pipe with stratified flow; Int. Journal of Multiphase Flow, 12(1986) S.609-26

John, H.; Ohlmer, E.; Schulze, W.; Weste, G.; Reimann, J.; Eisele, G.; Test eines Messeinsatzes mit 2 Local-Flow Turbinen, 2 Dragbodies, einer Full- Flow Turbine und einem 2-Strahl-Densitometer der LOBI-Anlage in transienter Zweiphasenstroemung; KfK-3877 (Juni 85),EUR-3607d (Juni 85)

John, H.; Barth, S.; Demski, A.; Eisele, G.; Hitzig, K.; Kleiber, S.; Megerle, A.; Pawlak, L.; Reimann, J.; Wanner, E.; Weinbrecht, R.; Versuchsstand fuer instationaere Zweiphasenmesstechnik; KfK-3550 (Juni 85) S.4100/83-4100/96

Seeger, W.; Reimann, J.; Mueller, U.; Phase separation in a T-junction with a horizontal inlet; Int. Journal of Multiphase Flow, (1985) Paper A2 S.13-26

Smoglie, C.; Reimann, J.; Mueller, U.; Two-phase flow through small breaks in a horizontal pipe with stratified flow; Chiu, Chong [Hrsg.] Reactor Thermal Hydraulics. Proc. of Third Int. Topical Meeting, Newport, R.I., October 15-18, 1985, ANS, 1985. - Vol.2 S.13/A.1-A.8

John, H.; Reimann, J.; Eisele, G.; Ohlmer, E.; Schulze, W.; Test of a mass flow rate measuring spool piece involving drag body, gamma densitometer, local flow turbines and full flow turbine in transient two-phase flow; Symp. Mass Flow Measurement, ASME Winter Annual Meeting, New Orleans, La., December 9-13, 1984

John, H.; Reimann, J.; Mueller, U.; Test of two-phase mass flow rate instrumentation in transient steam-water flow; Delhaye, J.M.; Cognet, G. [Hrsg.] Measuring Techniques in Gas-Liquid Two-Phase Flows, UITAM-Symp., (Internat. Union of Theoretical and Applied Mechanics), Nancy, F, July 5-8, 1983, Berlin [u.a.] : Springer 1984 S.677-94

Reimann, J.; Khan, M.; Flow through a small break at the bottom of a large pipe with stratified flow. 2nd Internat. Topical Conf. on Nuclear Reactor Thermal Hydraulics, Santa Barbara, Calif., January 11-14, 1983 Nuclear Science and Engineering, 88(1984) S.297-310

Reimann, J.; Seeger, W.; Pressure drop of air-water and steam-water flow in a dividing T-junction. European Two-Phase Group Meeting 1984, Roma, I, June 19-21, 1984

Reimann, J.; Kusterer, H.; John, H.; Two-phase mass flow rate measurements with Pitot tubes and density measurements; Delhaye, J.M.; Cognet, G. [Hrsg.] Measuring Techniques in Gas-Liquid Two-Phase Flows, UITAM-Symp., (Internat. Union of Theoretical and Applied Mechanics), Nancy, F, July 5-8, 1983, Berlin [u.a.] : Springer 1984 S.625-50

Reimann, J.; Vergleich von kritischen Massenstrom-Modellen im Hinblick auf die Stroemung durch Lecks. Munz, D. [Hrsg.] Leck-vor-Bruch-Verhalten druckbeaufschlagter Komponenten. Duesseldorf: VDI 1984 S.63-95 (Fortschrittsberichte der VDI-Zeitschriften. Reihe 18, Nr. 14)

Smoglie, C.; Reimann, J.; Two-phase flow through a small horizontal branch in a pipe with stratified flow; Jahrestagung Kerntechnik 84. Frankfurt, 22.-24. Mai 1984. Kerntechnische Ges.e.V. Deutsches Atomforum e.V. Eggenstein-Leopoldshafen: Fachinformationszentrum Energie, Physik, Mathematik 1984 S.73-76

Reimann, J.; Developments in two-phase mass flow rate instrumentation; Kakac, S. [Hrsg.] Advances in Two Phase FLOW and Heat Transfer : Fundamentals and Applications; Proc. of the NATO Advanced Research Workshop, Spitzingsee, August 31 – September 3, 1982, Boston[u.a.] : Nijhoff, 1983. - S.338-402

Reimann, J.; Smoglie, C.; Flow through a small pipe at the top of a large pipe with stratified flow; European Two-Phase Flow Group Meeting, Zuerich, CH, June 14-17, 1983

Reimann, J.; Brockmann, E.; Hassenpflug, H.U.; Neeb, B.; John, H.; Further development of drag bodies for the measurement of mass flow rates during blowdown experiments; Plesset, M.S. [Hrsg.] Transient Two Phase Flow : Proc. of the 3rd CSNI Specialist Meeting, Pasadena, Calif., March 23-25, 1981 Washington, D.C. [u.a.] : Hemisphere Publ.Co., 1983. - S.21-37

Reimann, J.; John, H.; Frank, R.; Measurement of mass flow rate and quality with a Venturi nozzle and a turbine meter in steam-water flow; Plesset, M.S. [Hrsg.] Transient Two Phase Flow : Proc. of the 3rd CSNI Specialist Meeting, Pasadena, Calif., March 23-25, 1981 Washington, D.C. [u.a.] : Hemisphere Publ.Co., 1983. - S.71-84

Reimann, J.; Seeger, W.; Two-phase pressure drop in a deviding Tee-junction; Euromech Colloquium 176; The Mechanics of Gas-Liquid Flow Systems, Villard de Lans, F, September 21-23, 1983

John, H.; Hain, K.; Bruederle, F.; Reimann, J.; Vollmer, H.; Test of an advanced true mass flow meter (TMFM) in gas-liquid flow; 3rd Joint Thermophysics, Fluids, Plasma and Heat Transfer Conf., St. Louis, Mo., June 7-11, 1982

Reimann, J.; Khan, M.; Flow through a small pipe at the bottom of a large pipe with stratified flow; Annual Meeting of the European Two-Phase Flow Group, Paris - La Defense, F, June 2-4, 1982

- Reimann, J.; John, H.; Mueller, U.; Measurements of two-phase mass flow rate: a comparison of different techniques; Int. Journal of Multiphase Flow, 8(1982) S.33-46
- John, H.; Hain, K.; Bruederle, F.; Reimann, J.; Schloss, F.; Test des Massenstrom-Messgeraetes TMFM-50 fuer Zweiphasen-Stroemungen; KfK-3215 (Oktober 81)
- Reimann, J.; John, H.; Seeger, W.; Experiments on the transition from slug to annular flow in horizontal air-water and steam-water flow; Meeting of the European Two Phase Flow Group, Eindhoven, NL, June 2-5, 1981
- Reimann, J.; John, H.; Demski, A.; Hassenpflug, H.; Muelli, R.; Neeb, B.; Pawlak, L.; Sallet, D.; Seeger, W.; Weinbrecht, R.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrom-Messverfahren; KfK-2950 (August 81) S.4100/75-4100/114
- Reimann, J.; John, H.; Seeger, W.; Transition from slug to annular flow in horizontal air-water and steam-water flow; KfK-3189 (November 81)
- Frank, R.; Reimann, J.; John, H.; Mass flow rate and quality measurements with a venturi nozzle and a turbine meter in steam-water flow; European Two-Phase Flow Group Meeting, University of Strathclyde, Glasgow, GB, June 3-6, 1980
- Kedziur, F.; John, H.; Loeffel, R.; Reimann, J.; Experimental investigation of a two-phase nozzle flow; KfK-2902 (Juli 1980)
- Reimann, J.; John, H.; Doerfel, R.; Solbrig, C.W.; Chen, L.L.; Good, R.R.; Mass flow rate measurements in horizontal steam-water flow with a drag disc turbine transducer, a gamma densitometer and the radiotracer technique; Proc. of the ANS/ASME/NRC Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics, Saratoga Springs, N.Y., October 5-8, 1980, NUREG/CP-0014 Vol.2, S.982-98
- Reimann, J.; John, H.; Loeffel, R.; Solbrig, C.W.; Shull, G.B.; Good, R.R.; Chen, L.L.; Test of the EG and G two-phase mass flow rate instrumentation at Kernforschungszentrum Karlsruhe. Data report Vol. 1: test results from LOFT production DTT and a LOFT type gamma densitometer; KfK-2784 (Dezember 80)
- Reimann, J.; John, H.; Mueller, U.; Zweiphasenmassenstrom-Messungen: Ein Vergleich verschiedener Messverfahren. Two-phase mass flow measurements: comparison of different methods; KfK-3070 (November 80)
- Solbrig, C.W.; Reimann, J.; Behavior of drag disc turbine transducers in steady-state two-phase flow; IEEE Transactions on Nuclear Science, NS-27(1980) S.1321-29
- John, H.; Reimann, J.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrommessverfahren. Anlagenbeschreibung; KfK-2731B (Februar 79)
- John, H.; Reimann, J.; Alsmeyer, H.; Hahn, H.; Megerle, A.; Serielles 5-Strahl- γ -Densitometer zur Dichtemessung einer Zweiphasenstroemung; KfK-2783 (November 79)
- Reimann, J.; Solbrig, C.W.; Calibration of a drag disc turbine transducer and a gamma beam densitometer to measure the mass flow rate in separated horizontal two-phase flow; 14. Intersociety Energy Conversion Engineering Conf., Boston, Mass., USA, August 5-10, 1979
- Reimann, J.; John, H.; Loeffel, R.; Solbrig, C.W.; Chen, L.L.; Goodrich, L.D.; Tests of the EG and G two-phase mass flow rate instrumentation at Kernforschungszentrum Karlsruhe. Analyses Report Vol.1: Test results from LOFT production DTT and a LOFT type gamma densitometer; KfK-2812 (Dezember 79)
- Solbrig, C.W.; Reimann, J.; Behavior of drag disc turbine transducers in steady-state two-phase flow; Instrument Society of America, Anaheim, Calif., USA, May 6-11, 1979

Wagner, K.; Reimann, J.; Class, G.; John, H.; Schloss, F.; Transient and steady-state two-phase mass flow rate measurements with a true mass flow meter; Nuclear Power Option for the World, Europ.Nuclear Conf., Hamburg, May 6-11, 1979, American Nuclear Society, Transactions, 31(1979) S.431-33

Class, G.; Reimann, J.; Wagner, K.; Transient two-phase mass flow rate measurements with a true mass flow meter; Two-Phase Flow Instrumentation Review Group Meeting, Troy, N.Y., March 13-14, 1978

Reimann, J.; John, H.; Mueller, S.; Impedance probe for detecting flow regime and measuring the phase distribution in horizontal air-water and steam-water flow; Two-Phase Flow Instrumentation Review Group Meeting, Troy, N.Y., March 13-14, 1978

Reimann, J.; John, H.; Measurements of the phase distribution in horizontal air-water and steam-water- flow; Specialists' Meeting on Transient Two-Phase Flow, Paris, June 12-14, 1978

Reimann, J.; John, H.; Phasenverteilung in horizontaler Luft-Wasser- sowie Dampf-Wasser-Stroemung; Reaktortagung, Hannover, 4.-7.April 1978, Deutsches Atomforum e.V., Kerntechnische Ges. im Dt. Atomforum e.V. Leopoldshafen 1978: ZAED. S.170-73

Riebold, W.; Barschdorff, D.; Class, G.; Hampel, G.; Kosfeld, R.; Loeffel, R.; Reimann, J.; Wesser, U.; Summary of German Instrumentation Research; 5. Water Reactor Safety Research Information Meeting, Washington, D.C., November 7-11, 1977

Barschdorff, D.; Class, G.; Loeffel, R.; Reimann, J.; Mass flow measuring techniques in transient two phase flow; Specialists' Meeting on Transient Two-Phase Flow, Toronto, August 3-4, 1976

John, H.; Mueller, U.; Reimann, J.; A test loop for testing measuring methods for the mass flow rate of two-phase flows; 1976 Meeting of the European Two-Phase-Flow Group, Erlangen, May 30-June 2, 1976

Reimann, J.; John, H.; Wanner, E.; Gemeinsamer Versuchsstand zum Testen und Kalibrieren verschiedener Zweiphasen-Massenstrommessverfahren; KFK-2262 (Juni 76) S. 183-92

Reimann, J.; Massenstrommessverfahren fuer Zweiphasenstroemungen. (Dampf-Fluessigkeit)
KTG - Fachtagung: Experimentiertechnik auf dem Gebiet der Reaktor-Fluidynamik, Berlin, 10.-12. Maerz 1976

Loeffel, R.; Barschdorff, D.; Wolf, E.; Class, G.; Reimann, J.; John, H.; Entwicklung von Verfahren zur Massenstrommessung instationaerer Zweiphasenstroemungen; KFK-Nachrichten, 7(1975) No 3, S.22-30